

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
312.50	347.22	378

## Ovako UK scrap & alloy surcharges

**Apr-24**

Please note for customers buying in Euros the Q2 exchange rate is £1 = €1.164

### Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
DH36		9837		20.92	23.24	25.31
NV A		8352		6.75	7.50	8.17
525A61/CCr3		9265		103.66	115.18	125.43
525A61/CCr3		4265 VDG		103.66	115.18	125.43
605M36/605A37	5905			118.46	131.62	
635M15/637M17	4712			164.20	182.44	
655M13	4714			551.42	612.68	
655M13	4715			519.69	577.43	
665M17	4801			347.61	386.24	
704A60/CrMo1		4234 VDG		134.57	149.52	162.83
704A60/CrMo1		9234		134.57	149.52	162.83
708M40/708A42	6126	9288 (708M40/708A42)		143.00	158.88	
709M40	6107			182.52	202.80	
709M40	6134			174.73	194.14	
722M24	8310			397.62	441.80	
735A51	7402	9282		94.34	104.82	
805H60		9280		195.79	217.55	
817M40	6506	9205		387.80	430.89	
817M40	6510			387.80	430.89	
817M40 + S		4205		386.13	429.03	
817M40			356B	387.31	430.35	468.65
826M40	6518			612.35	680.39	
945M38	6201			221.18	245.75	
SAE 1046		8673		42.81	47.57	
4130	6037	9226		189.50	210.55	
4140	6080	9288 (4140)		143.47	159.41	173.59
4140 Ni .2/.25	1272			169.29	188.10	
SAE 4140 Ni .35/.50	6139			206.95	229.95	250.41
SAE1117 ASTM A29		9133		10.74	11.94	13.00
4140 Mod (MPS 14)		9240		143.66	159.62	
4140H	6115			139.37	154.86	
4145	6097			138.03	153.37	
4150	6112	9286 (4150)		138.03	153.37	
4340	6514			395.26	439.18	
5160		9261		50.94	56.60	
8620	4542			189.81	210.90	229.67
8620	4548	9225	152G	190.06	211.18	229.97
8620(M)		9253		189.65	210.73	229.48
100Cr6	5621		803 J/N/P	83.90	93.23	101.52
CHAP031		9663		26.82	29.80	32.45
15B35Hm		9667		32.10	35.67	38.84
15B41 MOD		4689 VDG		43.24	48.05	52.33
15B41 MOD	5497			43.24	48.05	52.33
SB24M13B		9643		21.21	23.57	
SB27M12CB		9660		34.23	38.03	41.42
SB30M13B	9662			20.82	23.13	25.19
27M12B		9654		20.82	23.13	25.19
SB30M10B		9651		8.49	9.44	10.27
SB30M12CB		9661		37.55	41.72	45.44
SB33M15CB		4679		38.71	43.01	46.84
SB43M14B		4678		78.66	87.40	95.18
SB600		9823		37.82	42.02	45.76
16MnCr5	4316	9218		58.30	64.78	
16MnCr5	4306	9661		58.30	64.78	
17Cr3	5502			46.43	51.59	56.18
17MnV6	7252	9875		33.22	36.91	40.20
18CrNiMo7-6	4761			429.33	477.03	519.49
20MnCr5	4324			72.36	80.40	
20MnCr5	4334			72.36	80.40	

20MnB5+Cr+HH		4642		24.53	27.26	
20NiCrMo2	4532			175.58	195.09	
23MnNiMoCr54So		4209		407.57	452.85	
23MnNiMoCr54		4219		420.46	467.18	
27MnCrB5	5465			32.88	36.53	
30CrNiMo8	6507			563.06	625.62	
31CrMoV9	6140			250.02	277.80	
33MnCrB5/MPS 16		4648 VDG		181.30	201.44	
MPS16		4648		181.30	201.44	
34CrNiMo6	6499	9205		423.89	470.99	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		106.78	118.64	
38MnSiV6	7221			39.29	43.66	
38MnVs6		4873		33.21	36.90	
40CrMo4	6077			152.56	169.51	184.59
42CrMo4	6082	9288 (42CrMo4)		152.48	169.43	
42CrMO4	1252			148.07	164.52	179.16
42CrMo4		4288		130.03	144.48	157.34
42CrMo4 MOD	6103			197.12	219.02	238.51
42CrMoS4+HH		9287		152.48	169.43	184.50
42CD4	1279			128.94	143.27	156.02
42MnV5		9859		91.07	101.19	110.19
49MnVs3		4850		26.04	28.93	31.50
50CrV4		9282		94.34	104.82	114.15
50CrMo4	6136			152.33	169.26	184.32
51CrV4		4282		96.96	107.73	117.32
51CrV4		4254		140.43	156.03	169.92
51CrV4		9212		87.14	96.83	105.44
51CrV4		4292		101.47	112.74	122.77
51CrV4 Type 1		4291		93.10	103.44	112.65
51CrMoV4		9296		166.72	185.25	201.73
52CrMoV4		4283		169.75	188.61	205.39
52CrMoV4		4296		164.99	183.32	199.64
51CrV4m4		4290		101.31	112.56	122.58
251A58		9073		36.03	40.04	43.60
56SiCr7		9072		24.28	26.97	29.38
56SiCr7		9084		37.68	41.87	
56SiCr7 Mod		9071		37.69	41.88	
61SiCr7(32-45 mm)		4077		44.31	49.23	
92506 ( 320/380)	4540			188.59	209.55	
92520	4738			312.29	346.99	
92520	4739			308.19	342.43	
92523	4741			276.21	306.90	
92506 'A Level'	1280			187.78	208.64	
92523	4743			261.15	290.16	
92245H	5515			93.45	103.83	113.07
3M		9885		96.27	106.96	
3M Issue 19		4885		74.48	82.75	
Ovako 482 (10M)		9857		39.09	43.44	
14M		4857		47.14	52.38	
17M/18M		9858		20.93	23.25	
17M		9891		20.93	23.25	
S460NL		9856		20.93	23.25	
A193 B7	6093			138.03	153.37	
A193 B16	6098			345.46	383.84	
A320 L7	1281			138.03	153.37	
A320 L7	6137			138.03	153.37	
A320 L7	6135			184.22	204.69	
ASTM A 350 LF2	2735			8.30	9.22	10.04
EN11		9262		41.22	45.80	
SMO215(HYTUFF)	4803			464.48	516.08	562.02
TB1398	4740			277.00	307.78	
V2525-75 (146S)	4757		146S	257.22	285.80	311.23
V2142	7256			33.71	37.45	40.79
V2158	4326			74.02	82.24	
V2158		4222		97.46	108.29	
V2244-75	1266			153.05	170.05	
V2244-00	6129			153.05	170.05	
V2250	6112			140.24	155.82	
V2527-70	4701			304.37	338.19	
453C (SS142534)			453C	603.25	670.28	729.93

SB500		9816		31.00	34.45	
V2906	7216	9850		25.04	27.82	
V2908		4108		22.18	24.64	
Cromobolt	6116			186.99	207.76	226.26
047A			047A	6.82	7.58	8.26
047R			047R	4.14	4.60	5.01
143A			143A	60.50	67.22	73.20
146S (V2525-75)	4757		146S	257.22	285.80	311.23
152G (8620)	4548	9225	152G	190.06	211.18	229.97
157C (4320)			157C	390.08	433.43	472.00
157F			157F	369.58	410.64	447.19
157Q			157Q	258.70	287.44	313.02
158Q			158Q	612.01	680.02	740.54
159B			159B	435.56	483.96	527.03
159X			159X	445.76	495.29	539.37
215B			215B	12.01	13.34	14.53
234K (16MnCr5)			234K	62.24	69.16	75.31
236F			236F	75.04	83.38	90.80
248D			248D	381.16	423.51	461.20
253A			253A	581.57	646.18	703.69
253F			253F	540.73	600.81	654.28
253L	4722		253L	586.22	651.35	709.32
253S			253S	582.26	646.96	704.54
255G			255G	649.26	721.40	785.60
256G			256G	723.61	804.01	875.57
258D			258D	796.13	884.59	963.31
275A			275A	500.86		606.05
277L			277L (X200)	433.26	481.40	524.24
TS280M-LX		9880		33.74	37.49	40.82
280M			280M	46.72		56.53
280T (19MnVS6)			280T	46.72		56.53
280X (19MnVS6)			280X	34.22		41.40
316A			316A	14.15		17.12
322D (25CrMo4)			322D	144.50		174.84
322Y			322Y	104.95	116.61	126.99
326C (4140)			326C	141.19		170.84
327A			327A	196.39		237.63
327A	1233		327A	190.85	212.06	230.93
327A	1291		327A	190.85	212.06	230.93
327B			327B	172.77		209.05
355B			355B	403.17		487.84
356D (34CrNiMo6)			356D	385.10		465.97
368.6		9620		148.65		179.86
398Q			398Q	624.05		755.10
420G			420G	388.07		469.56
495B	6521		495B	537.80		650.73
497Q			497Q (X300)	482.83		584.22
510N			510N	16.44		19.89
513Y			513Y	50.94	56.60	61.64
520M	2721			20.57	22.85	24.89
S355J2(M)		9864		22.01	24.45	26.63
MPS2B ISSUE 2 (S355J2C)		9820		23.72	26.35	28.70
520-S355J2	2723			19.93	22.15	24.12
528A/E (50CrMo4)			528A/E (X500)	142.85	158.72	172.84
593B			593B	153.34	170.38	185.54
593Q			593Q	153.34	170.38	185.54
594Y			594Y	102.40	113.77	123.90
596Y			596Y	180.89	200.99	218.88
667L			677L/Q/T (X600)	181.95		220.16
803J/N/P (100Cr6)	5621		803 J/N/P	83.90	93.23	101.52
803F/Q (100Cr6)			803F/Q (X800)	85.40		103.34
802F	5620		802F	83.82	93.13	101.42
100Cr6		4268		83.82		101.42
824B (100CrMo7)			824B	180.63		218.56
825B (100CrMo7 3)			825B	212.66		257.32
826B (100CrMo7 4)			826B	281.82		341.00
825T			825T	223.32		270.21
827B			827B	331.91		401.61
837N/R (100CrMn6)			837N/R	94.69		114.58
15MA27	7245			70.26	78.07	85.02
1130	5616			145.35	161.50	
2725	4734			534.22	593.58	

3350	8312			328.63	365.14	
L435-2				581.94	646.60	
1500	7302			356.53	396.14	431.40
Hybrid 55				1494.92	1661.02	1808.85
Hybrid 60				1494.92	1661.02	1808.85
Imanite	6130			425.02	472.25	514.28
IMACRO	8302			259.36	288.18	313.83
IMACRO EL 700	9259			223.45	248.28	270.37
S355	2714			26.22	29.13	31.73
368.6	5478			144.11	160.13	174.38