

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
312.50	347.22	378

Ovako UK scrap & alloy surcharges

May-24

Please note for customers buying in Euros the Q2 exchange rate is £1 = €1.164

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
DH36		9837		20.10	22.34	24.32
NV A		8352		6.56	7.29	7.94
525A61/CCr3		9265		104.56	116.18	126.52
525A61/CCr3		4265 VDG		104.56	116.18	126.52
605M36/605A37	5905			117.71	130.79	
635M15/637M17	4712			165.45	183.83	
655M13	4714			554.08	615.64	
655M13	4715			522.78	580.87	
665M17	4801			347.93	386.59	
704A60/CrMo1		4234 VDG		135.21	150.24	163.61
704A60/CrMo1		9234		135.21	150.24	163.61
708M40/708A42	6126	9288 (708M40/708A42)		143.94	159.93	
709M40	6107			183.24	203.60	
709M40	6134			175.48	194.97	
722M24	8310			401.05	445.61	
735A51	7402	9282		93.70	104.11	
805H60		9280		196.23	218.03	
817M40	6506	9205		389.65	432.95	
817M40	6510			389.65	432.95	
817M40 + S		4205		388.26	431.40	
817M40			356B	389.21	432.45	470.94
826M40	6518			613.46	681.63	
945M38	6201			221.77	246.41	
SAE 1046		8673		43.11	47.90	
4130	6037	9226		189.93	211.03	
4140	6080	9288 (4140)		144.42	160.47	174.75
4140 Ni .2/.25	1272			170.20	189.11	
SAE 4140 Ni .35/.50	6139			207.93	231.03	251.59
SAE1117 ASTM A29		9133		10.46	11.62	12.66
4140 Mod (MPS 14)		9240		145.48	161.65	
4140H	6115			140.18	155.76	
4145	6097			138.81	154.23	
4150	6112	9286 (4150)		138.81	154.23	
4340	6514			397.00	441.11	
5160		9261		51.93	57.70	
8620	4542			190.25	211.39	230.20
8620	4548	9225	152G	190.47	211.63	230.47
8620(M)		9253		190.09	211.21	230.01
100Cr6	5621		803 J/N/P	85.85	95.39	103.88
CHAP031		9663		27.08	30.09	32.76
15B35Hm		9667		32.53	36.14	39.36
15B41 MOD		4689 VDG		43.87	48.75	53.09
15B41 MOD	5497			43.87	48.75	53.09
SB24M13B		9643		21.34	23.71	
SB27M12CB		9660		34.71	38.56	42.00
SB30M13B	9662			20.92	23.25	25.32
27M12B		9654		20.92	23.25	25.32
SB30M10B		9651		8.30	9.22	10.04
SB30M12CB		9661		38.11	42.34	46.11
SB33M15CB		4679		39.21	43.57	47.45
SB43M14B		4678		78.38	87.09	94.84
SB600		9823		36.02	40.03	43.59
16MnCr5	4316	9218		59.74	66.38	
16MnCr5	4306	9661		59.74	66.38	
17Cr3	5502			47.31	52.57	57.25
17MnV6	7252	9875		31.64	35.15	38.28
18CrNiMo7-6	4761			431.84	479.83	522.53
20MnCr5	4324			73.85	82.05	
20MnCr5	4334			73.85	82.05	

20MnB5+Cr+HH		4642		24.77	27.53	
20NiCrMo2	4532			176.83	196.47	
23MnNiMoCr54So		4209		407.62	452.91	
23MnNiMoCr54		4219		420.37	467.08	
27MnCrB5	5465			33.31	37.01	
30CrNiMo8	6507			566.20	629.11	
31CrMoV9	6140			251.29	279.21	
33MnCrB5/MPS 16		4648 VDG		182.39	202.65	
MPS16		4648		182.39	202.65	
34CrNiMo6	6499	9205		426.23	473.59	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		108.14	120.15	
38MnSiV6	7221			37.13	41.25	
38MnVs6		4873		31.56	35.06	
40CrMo4	6077			153.44	170.49	185.67
42CrMo4	6082	9288 (42CrMo4)		153.35	170.38	
42CrMO4	1252			149.01	165.56	180.30
42CrMo4		4288		130.97	145.53	158.48
42CrMo4 MOD	6103			197.98	219.98	239.56
42CrMoS4+HH		9287		153.35	170.38	185.55
42CD4	1279			129.83	144.26	157.10
42MnV5		9859		89.30	99.22	108.05
49MnVs3		4850		24.63	27.37	29.81
50CrV4		9282		93.70	104.11	113.38
50CrMo4	6136			153.15	170.17	185.31
51CrV4		4282		96.24	106.93	116.45
51CrV4		4254		139.75	155.28	169.10
51CrV4		9212		86.78	96.43	105.01
51CrV4		4292		100.94	112.15	122.13
51CrV4 Type 1		4291		92.35	102.61	111.74
51CrMoV4		9296		166.11	184.57	201.00
52CrMoV4		4283		168.86	187.62	204.32
52CrMoV4		4296		163.99	182.22	198.43
51CrV4m4		4290		100.78	111.98	121.94
251A58		9073		34.68	38.53	41.96
56SiCr7		9072		22.59	25.10	27.34
56SiCr7		9084		36.70	40.78	
56SiCr7 Mod		9071		36.38	40.42	
61SiCr7(32-45 mm)		4077		43.44	48.27	
92506 (320/380)	4540			189.14	210.16	
92520	4738			314.12	349.02	
92520	4739			309.91	344.34	
92523	4741			277.93	308.81	
92506 'A Level'	1280			188.09	208.99	
92523	4743			262.89	292.10	
92245H	5515			94.61	105.12	114.48
3M		9885		95.44	106.05	
3M Issue 19		4885		74.13	82.37	
Ovako 482 (10M)		9857		37.00	41.11	
14M		4857		45.27	50.30	
17M/18M		9858		19.55	21.72	
17M		9891		19.55	21.72	
S460NL		9856		19.55	21.72	
A193 B7	6093			138.81	154.23	
A193 B16	6098			341.51	379.45	
A320 L7	1281			138.81	154.23	
A320 L7	6137			138.81	154.23	
A320 L7	6135			185.22	205.80	
ASTM A 350 LF2	2735			8.12	9.02	9.82
EN11		9262		41.99	46.66	
SMO215(HYTUFF)	4803			463.80	515.34	561.20
TB1398	4740			278.73	309.69	
V2525-75 (146S)	4757		146S	258.87	287.64	313.24
V2142	7256			32.08	35.65	38.82
V2158	4326			75.55	83.94	
V2158		4222		99.34	110.38	
V2244-75	1266			153.89	170.99	
V2244-00	6129			153.89	170.99	
V2250	6112			141.08	156.76	
V2527-70	4701			307.36	341.51	
453C (SS142534)			453C	606.06	673.40	733.34

SB500		9816		29.60	32.89	
V2906	7216	9850		23.70	26.34	
V2908		4108		21.94	24.38	
Cromobolt	6116			188.47	209.41	228.04
047A			047A	6.60	7.33	7.98
047R			047R	4.16	4.62	5.03
143A			143A	61.74	68.60	74.70
146S (V2525-75)	4757		146S	258.87	287.64	313.24
152G (8620)	4548	9225	152G	190.47	211.63	230.47
157C (4320)			157C	391.23	434.70	473.39
157F			157F	369.61	410.68	447.23
157Q			157Q	260.84	289.83	315.62
158Q			158Q	612.47	680.52	741.09
159B			159B	438.08	486.76	530.08
159X			159X	448.33	498.15	542.48
215B			215B	11.78	13.09	14.25
234K (16MnCr5)			234K	63.50	70.55	76.83
236F			236F	76.60	85.12	92.69
248D			248D	385.00	427.78	465.85
253A			253A	584.51	649.46	707.26
253F			253F	543.56	603.96	657.71
253L	4722		253L	589.20	654.67	712.94
253S			253S	585.22	650.25	708.12
255G			255G	652.84	725.38	789.93
256G			256G	726.78	807.53	879.40
258D			258D	797.69	886.33	965.21
275A			275A	497.55		602.04
277L			277L (X200)	433.14	481.27	524.10
TS280M-LX		9880		32.09	35.66	38.83
280M			280M	45.49		55.04
280T (19MnVS6)			280T	45.49		55.04
280X (19MnVS6)			280X	32.57		39.41
316A			316A	13.96		16.89
322D (25CrMo4)			322D	145.28		175.79
322Y			322Y	105.16	116.85	127.25
326C (4140)			326C	142.04		171.87
327A			327A	197.38		238.83
327A	1233		327A	191.91	213.23	232.21
327A	1291		327A	191.91	213.23	232.21
327B			327B	173.56		210.01
355B			355B	404.71		489.70
356D (34CrNiMo6)			356D	387.37		468.72
368.6		9620		149.44		180.82
398Q			398Q	622.26		752.94
420G			420G	391.51		473.72
495B	6521		495B	535.87		648.40
497Q			497Q (X300)	481.82		583.00
510N			510N	16.48		19.94
513Y			513Y	51.93	57.70	62.83
520M	2721			19.65	21.84	23.78
S355J2(M)		9864		20.94	23.26	25.34
MPS2B ISSUE 2 (S355J2C)		9820		22.61	25.12	27.36
520-S355J2	2723			19.13	21.26	23.15
528A/E (50CrMo4)			528A/E (X500)	143.74	159.71	173.93
593B			593B	152.72	169.69	184.79
593Q			593Q	152.72	169.69	184.79
594Y			594Y	101.53	112.81	122.85
596Y			596Y	180.02	200.02	217.82
667L			677L/Q/T (X600)	181.71		219.86
803J/N/P (100Cr6)	5621		803 J/N/P	85.85	95.39	103.88
803F/Q (100Cr6)			803F/Q (X800)	87.39		105.74
802F	5620		802F	85.79	95.32	103.80
100Cr6		4268		85.79		103.80
824B (100CrMo7)			824B	182.60		220.94
825B (100CrMo7 3)			825B	214.48		259.52
826B (100CrMo7 4)			826B	283.26		342.74
825T			825T	225.02		272.27
827B			827B	333.15		403.11
837N/R (100CrMn6)			837N/R	96.44		116.70
15MA27	7245			67.72	75.25	81.95
1130	5616			146.11	162.34	
2725	4734			537.25	596.95	

3350	8312			332.39	369.32	
L435-2				584.90	649.89	
1500	7302			354.65	394.06	429.13
Hybrid 55				1496.47	1662.74	1810.73
Hybrid 60				1496.47	1662.74	1810.73
Imanite	6130			421.30	468.11	509.78
IMACRO	8302			265.03	294.48	320.69
IMACRO EL 700	9259			229.18	254.64	277.30
S355	2714			24.98	27.76	30.23
368.6	5478			144.92	161.02	175.35