

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
312.50	347.22	378

Ovako UK scrap & alloy surcharges

Jun-24

Please note for customers buying in Euros the Q2 exchange rate is £1 = €1.164

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
DH36		9837		21.80	24.22	26.37
NV A		8352		7.20	8.00	8.71
525A61/CCr3		9265		109.50	121.67	132.50
525A61/CCr3		4265 VDG		109.50	121.67	132.50
605M36/605A37	5905			127.30	141.44	
635M15/637M17	4712			182.00	202.22	
655M13	4714			614.34	682.60	
655M13	4715			581.39	645.99	
665M17	4801			385.47	428.30	
704A60/CrMo1		4234 VDG		142.57	158.41	172.51
704A60/CrMo1		9234		142.57	158.41	172.51
708M40/708A42	6126	9288 (708M40/708A42)		151.40	168.23	
709M40	6107			193.60	215.11	
709M40	6134			185.19	205.76	
722M24	8310			419.96	466.62	
735A51	7402	9282		95.16	105.73	
805H60		9280		213.78	237.53	
817M40	6506	9205		424.54	471.71	
817M40	6510			424.54	471.71	
817M40 + S		4205		422.58	469.53	
817M40			356B	424.17	471.30	513.25
826M40	6518			673.87	748.75	
945M38	6201			242.39	269.32	
SAE 1046		8673		46.57	51.74	
4130	6037	9226		206.18	229.08	
4140	6080	9288 (4140)		151.62	168.47	183.46
4140 Ni .2/.25	1272			181.42	201.58	
SAE 4140 Ni .35/.50	6139			223.29	248.10	270.18
SAE1117 ASTM A29		9133		11.56	12.85	13.99
4140 Mod (MPS 14)		9240		155.12	172.36	
4140H	6115			147.59	163.99	
4145	6097			146.19	162.43	
4150	6112	9286 (4150)		146.19	162.43	
4340	6514			436.00	484.44	
5160		9261		53.41	59.35	
8620	4542			206.57	229.52	249.94
8620	4548	9225	152G	206.75	229.72	250.17
8620(M)		9253		206.37	229.30	249.71
100Cr6	5621		803 J/N/P	87.05	96.72	105.33
CHAP031		9663		28.77	31.97	34.82
15B35Hm		9667		34.38	38.20	41.60
15B41 MOD		4689 VDG		46.23	51.37	55.94
15B41 MOD	5497			46.23	51.37	55.94
SB24M13B		9643		23.00	25.55	
SB27M12CB		9660		36.38	40.42	44.02
SB30M13B	9662			22.40	24.89	27.11
27M12B		9654		22.40	24.89	27.11
SB30M10B		9651		9.26	10.29	11.21
SB30M12CB		9661		39.96	44.40	48.35
SB33M15CB		4679		41.25	45.84	49.91
SB43M14B		4678		86.29	95.88	104.41
SB600		9823		37.80	42.00	45.74
16MnCr5	4316	9218		62.11	69.01	
16MnCr5	4306	9661		62.11	69.01	
17Cr3	5502			48.27	53.63	58.40
17MnV6	7252	9875		33.20	36.89	40.18
18CrNiMo7-6	4761			468.88	520.97	567.34
20MnCr5	4324			76.10	84.56	
20MnCr5	4334			76.10	84.56	

20MnB5+Cr+HH		4642		26.33	29.26	
20NiCrMo2	4532			192.84	214.27	
23MnNiMoCr54So		4209		443.59	492.88	
23MnNiMoCr54		4219		457.16	507.96	
27MnCrB5	5465			35.02	38.91	
30CrNiMo8	6507			615.00	683.34	
31CrMoV9	6140			260.20	289.11	
33MnCrB5/MPS 16		4648 VDG		202.16	224.62	
MPS16		4648		202.16	224.62	
34CrNiMo6	6499	9205		463.08	514.53	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		113.70	126.34	
38MnSiV6	7221			38.05	42.28	
38MnVs6		4873		32.94	36.60	
40CrMo4	6077			161.56	179.51	195.49
42CrMo4	6082	9288 (42CrMo4)		161.36	179.28	
42CrMO4	1252			156.47	173.86	189.33
42CrMo4		4288		137.68	152.98	166.59
42CrMo4 MOD	6103			209.17	232.41	253.10
42CrMoS4+HH		9287		161.36	179.28	195.24
42CD4	1279			136.32	151.46	164.94
42MnV5		9859		94.59	105.10	114.46
49MnVs3		4850		25.33	28.15	30.65
50CrV4		9282		95.16	105.73	115.14
50CrMo4	6136			160.94	178.83	194.74
51CrV4		4282		98.14	109.05	118.75
51CrV4		4254		144.37	160.41	174.68
51CrV4		9212		88.33	98.14	106.88
51CrV4		4292		102.68	114.09	124.24
51CrV4 Type 1		4291		93.90	104.33	113.62
51CrMoV4		9296		173.45	192.73	209.88
52CrMoV4		4283		175.55	195.06	212.42
52CrMoV4		4296		170.73	189.69	206.58
51CrV4m4		4290		102.48	113.87	124.00
251A58		9073		33.24	36.94	40.22
56SiCr7		9072		21.05	23.39	25.47
56SiCr7		9084		35.43	39.36	
56SiCr7 Mod		9071		35.03	38.92	
61SiCr7(32-45 mm)		4077		42.78	47.54	
92506 (320/380)	4540			205.64	228.49	
92520	4738			342.59	380.65	
92520	4739			338.68	376.31	
92523	4741			303.52	337.24	
92506 'A Level'	1280			203.56	226.18	
92523	4743			286.66	318.51	
92245H	5515			98.25	109.17	118.88
3M		9885		97.88	108.75	
3M Issue 19		4885		75.44	83.83	
Ovako 482 (10M)		9857		38.10	42.33	
14M		4857		46.49	51.65	
17M/18M		9858		19.44	21.60	
17M		9891		19.44	21.60	
S460NL		9856		19.44	21.60	
A193 B7	6093			146.19	162.43	
A193 B16	6098			359.02	398.91	
A320 L7	1281			146.19	162.43	
A320 L7	6137			146.19	162.43	
A320 L7	6135			197.17	219.08	
ASTM A 350 LF2	2735			9.12	10.13	11.03
EN11		9262		43.09	47.87	
SMO215(HYTUFF)	4803			507.45	563.84	614.02
TB1398	4740			304.50	338.33	
V2525-75 (146S)	4757		146S	283.09	314.54	342.53
V2142	7256			33.57	37.30	40.62
V2158	4326			77.89	86.54	
V2158		4222		105.25	116.95	
V2244-75	1266			161.93	179.92	
V2244-00	6129			161.93	179.92	
V2250	6112			148.40	164.89	
V2527-70	4701			335.33	372.58	
453C (SS142534)			453C	668.64	742.93	809.05

SB500		9816		31.49	34.99	
V2906	7216	9850		24.40	27.12	
V2908		4108		23.19	25.76	
Cromobolt	6116			197.65	219.61	239.16
047A			047A	7.11	7.90	8.60
047R			047R	5.08	5.64	6.14
143A			143A	63.77	70.85	77.16
146S (V2525-75)	4757		146S	283.09	314.54	342.53
152G (8620)	4548	9225	152G	206.75	229.72	250.17
157C (4320)			157C	430.66	478.51	521.10
157F			157F	400.94	445.49	485.14
157Q			157Q	286.21	318.01	346.31
158Q			158Q	672.19	746.87	813.35
159B			159B	475.72	528.58	575.62
159X			159X	486.43	540.47	588.58
215B			215B	13.34	14.83	16.15
234K (16MnCr5)			234K	65.54	72.83	79.31
236F			236F	78.90	87.66	95.46
248D			248D	420.14	466.83	508.37
253A			253A	643.40	714.89	778.51
253F			253F	597.50	663.89	722.98
253L	4722		253L	648.73	720.81	784.96
253S			253S	644.15	715.73	779.43
255G			255G	719.86	799.85	871.03
256G			256G	801.74	890.82	970.10
258D			258D	863.18	959.09	1044.45
275A			275A	540.57		654.09
277L			277L (X200)	459.47	510.52	555.96
TS280M-LX		9880		33.54	37.27	40.59
280M			280M	47.17		57.08
280T (19MnVS6)			280T	47.17		57.08
280X (19MnVS6)			280X	34.13		41.30
316A			316A	16.09		19.47
322D (25CrMo4)			322D	152.57		184.61
322Y			322Y	111.87	124.30	135.36
326C (4140)			326C	149.57		180.98
327A			327A	209.92		254.01
327A	1233		327A	204.19	226.88	247.07
327A	1291		327A	204.19	226.88	247.07
327B			327B	184.23		222.92
355B			355B	444.48		537.82
356D (34CrNiMo6)			356D	421.13		509.57
368.6		9620		162.37		196.46
398Q			398Q	653.60		790.86
420G			420G	409.58		495.60
495B	6521		495B	573.21		693.58
497Q			497Q (X300)	522.98		632.81
510N			510N	17.43		21.09
513Y			513Y	53.41	59.35	64.63
520M	2721			20.81	23.13	25.18
S355J2(M)		9864		21.87	24.30	26.47
MPS2B ISSUE 2 (S355J2C)		9820		23.79	26.43	28.78
520-S355J2	2723			20.51	22.79	24.82
528A/E (50CrMo4)			528A/E (X500)	150.99	167.77	182.70
593B			593B	159.92	177.69	193.50
593Q			593Q	159.92	177.69	193.50
594Y			594Y	103.18	114.64	124.84
596Y			596Y	188.45	209.39	228.03
667L			677L/Q/T (X600)	189.58		229.39
803J/N/P (100Cr6)	5621		803 J/N/P	87.05	96.72	105.33
803F/Q (100Cr6)			803F/Q (X800)	88.64		107.26
802F	5620		802F	87.06	96.73	105.34
100Cr6		4268		87.06		105.34
824B (100CrMo7)			824B	189.80		229.65
825B (100CrMo7 3)			825B	224.37		271.49
826B (100CrMo7 4)			826B	298.21		360.83
825T			825T	235.63		285.11
827B			827B	351.21		424.97
837N/R (100CrMn6)			837N/R	98.30		118.94
15MA27	7245			69.84	77.60	84.50
1130	5616			153.46	170.51	
2725	4734			590.90	656.55	

3350	8312			346.10	384.55	
L435-2				643.76	715.29	
1500	7302			380.50	422.78	460.40
Hybrid 55				1620.67	1800.74	1961.01
Hybrid 60				1620.67	1800.74	1961.01
Imanite	6130			443.47	492.75	536.60
IMACRO	8302			271.56	301.74	328.59
IMACRO EL 700	9259			233.34	259.26	282.34
S355	2714			26.26	29.18	31.78
368.6	5478			157.11	174.57	190.10