

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
312.50	347.22	378

Ovako UK scrap & alloy surcharges

Jul-24

Please note for customers buying in Euros the Q3 exchange rate is £1 = €1.172

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
DH36		9837		23.63	26.26	28.59
NV A		8352		8.42	9.35	10.19
525A61/CCr3		9265		111.39	123.76	134.78
525A61/CCr3		4265 VDG		111.39	123.76	134.78
605M36/605A37	5905			137.55	152.83	
635M15/637M17	4712			176.11	195.67	
655M13	4714			598.04	664.49	
655M13	4715			560.23	622.48	
665M17	4801			384.03	426.71	
704A60/CrMo1		4234 VDG		147.18	163.53	178.09
704A60/CrMo1		9234		147.18	163.53	178.09
708M40/708A42	6126	9288 (708M40/708A42)		155.25	172.50	
709M40	6107			200.45	222.72	
709M40	6134			191.46	212.73	
722M24	8310			426.59	473.98	
735A51	7402	9282		93.94	104.37	
805H60		9280		217.42	241.58	
817M40	6506	9205		421.35	468.17	
817M40	6510			421.35	468.17	
817M40 + S		4205		418.16	464.62	
817M40			356B	420.90	467.66	509.28
826M40	6518			674.73	749.70	
945M38	6201			244.45	271.61	
SAE 1046		8673		46.09	51.21	
4130	6037	9226		208.67	231.85	
4140	6080	9288 (4140)		155.22	172.46	187.81
4140 Ni .2/.25	1272			184.40	204.88	
SAE 4140 Ni .35/.50	6139			225.87	250.97	273.31
SAE1117 ASTM A29		9133		13.50	15.00	16.34
4140 Mod (MPS 14)		9240		151.08	167.87	
4140H	6115			151.76	168.62	
4145	6097			150.45	167.16	
4150	6112	9286 (4150)		150.45	167.16	
4340	6514			430.41	478.24	
5160		9261		52.17	57.96	
8620	4542			209.11	232.35	253.03
8620	4548	9225	152G	209.34	232.60	253.30
8620(M)		9253		208.89	232.10	252.76
100Cr6	5621		803 J/N/P	82.92	92.14	100.34
CHAP031		9663		29.71	33.01	35.94
15B35Hm		9667		34.96	38.84	42.30
15B41 MOD		4689 VDG		46.74	51.93	56.55
15B41 MOD	5497			46.74	51.93	56.55
SB24M13B		9643		24.22	26.92	
SB27M12CB		9660		36.69	40.77	44.40
SB30M13B	9662			23.55	26.17	28.50
27M12B		9654		23.55	26.17	28.50
SB30M10B		9651		10.80	12.00	13.07
SB30M12CB		9661		40.22	44.69	48.66
SB33M15CB		4679		41.85	46.50	50.64
SB43M14B		4678		90.22	100.24	109.16
SB600		9823		39.80	44.22	48.15
16MnCr5	4316	9218		60.25	66.94	
16MnCr5	4306	9661		60.25	66.94	
17Cr3	5502			46.85	52.05	56.68
17MnV6	7252	9875		36.18	40.20	43.78
18CrNiMo7-6	4761			464.74	516.38	562.33

20MnCr5	4324			74.15	82.39	
20MnCr5	4334			74.15	82.39	
20MnB5+Cr+HH		4642		27.18	30.20	
20NiCrMo2	4532			187.14	207.93	
23MnNiMoCr54So		4209		454.91	505.46	
23MnNiMoCr54		4219		469.39	521.55	
27MnCrB5	5465			35.47	39.42	
30CrNiMo8	6507			609.85	677.61	
31CrMoV9	6140			260.86	289.85	
33MnCrB5/MPS 16		4648 VDG		196.70	218.55	
MPS16		4648		196.70	218.55	
34CrNiMo6	6499	9205		459.26	510.29	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		112.98	125.53	
38MnSiV6	7221			40.90	45.45	
38MnVs6		4873		35.61	39.57	
40CrMo4	6077			166.10	184.56	200.98
42CrMo4	6082	9288 (42CrMo4)		165.88	184.31	
42CrMO4	1252			160.37	178.19	194.05
42CrMo4		4288		140.87	156.52	170.45
42CrMo4 MOD	6103			216.33	240.36	261.75
42CrMoS4+HH		9287		165.88	184.31	200.71
42CD4	1279			139.52	155.02	168.81
42MnV5		9859		95.50	106.11	115.56
49MnVs3		4850		27.31	30.34	33.04
50CrV4		9282		93.94	104.37	113.66
50CrMo4	6136			165.43	183.81	200.17
51CrV4		4282		96.66	107.40	116.96
51CrV4		4254		145.91	162.13	176.56
51CrV4		9212		87.16	96.84	105.46
51CrV4		4292		101.44	112.71	122.74
51CrV4 Type 1		4291		93.11	103.45	112.66
51CrMoV4		9296		178.10	197.89	215.50
52CrMoV4		4283		179.41	199.35	217.09
52CrMoV4		4296		174.91	194.34	211.64
51CrV4m4		4290		101.22	112.46	122.47
251A58		9073		36.69	40.77	44.39
56SiCr7		9072		25.32	28.13	30.63
56SiCr7		9084		37.88	42.09	
56SiCr7 Mod		9071		38.45	42.73	
61SiCr7(32-45 mm)		4077		45.46	50.51	
92506 (320/380)	4540			207.98	231.09	
92520	4738			337.77	375.30	
92520	4739			333.51	370.56	
92523	4741			298.43	331.59	
92506 'A Level'	1280			207.58	230.65	
92523	4743			281.82	313.14	
92245H	5515			98.31	109.23	118.95
3M		9885		98.42	109.35	
3M Issue 19		4885		74.61	82.90	
Ovako 482 (10M)		9857		41.07	45.63	
14M		4857		48.95	54.39	
17M/18M		9858		20.04	22.27	
17M		9891		20.04	22.27	
S460NL		9856		20.04	22.27	
A193 B7	6093			150.45	167.16	
A193 B16	6098			375.82	417.58	
A320 L7	1281			150.45	167.16	
A320 L7	6137			150.45	167.16	
A320 L7	6135			200.50	222.78	
ASTM A 350 LF2	2735			10.62	11.80	12.85
EN11		9262		42.04	46.71	
SMO215(HYTUFF)	4803			512.69	569.66	620.36
TB1398	4740			299.56	332.84	
V2525-75 (146S)	4757		146S	278.76	309.74	337.30
V2142	7256			36.63	40.70	44.33
V2158	4326			75.91	84.35	
V2158		4222		101.50	112.78	
V2244-75	1266			166.55	185.06	

V2244-00	6129			166.55	185.06	
V2250	6112			152.40	169.33	
V2527-70	4701			322.32	358.13	
453C (SS142534)			453C	654.77	727.52	792.27
SB500		9816		33.79	37.55	
V2906	7216	9850		26.35	29.28	
V2908		4108		25.22	28.02	
Cromobolt	6116			201.50	223.89	243.81
047A			047A	8.33	9.26	10.08
047R			047R	5.84	6.49	7.06
143A			143A	62.29	69.21	75.37
146S (V2525-75)	4757		146S	278.76	309.74	337.30
152G (8620)	4548	9225	152G	209.34	232.60	253.30
157C (4320)			157C	427.19	474.66	516.90
157F			157F	411.21	456.90	497.56
157Q			157Q	276.10	306.78	334.09
158Q			158Q	678.70	754.11	821.23
159B			159B	471.16	523.51	570.11
159X			159X	482.11	535.68	583.35
215B			215B	15.52	17.24	18.78
234K (16MnCr5)			234K	64.06	71.17	77.51
236F			236F	76.78	85.31	92.90
248D			248D	403.47	448.30	488.19
253A			253A	630.70	700.78	763.15
253F			253F	585.54	650.59	708.50
253L	4722		253L	635.53	706.15	769.00
253S			253S	631.45	701.61	764.05
255G			255G	702.14	780.16	849.59
256G			256G	787.20	874.67	952.51
258D			258D	878.06	975.62	1062.45
275A			275A	547.09		661.98
277L			277L (X200)	466.90	518.78	564.95
TS280M-LX		9880		36.46	40.51	44.12
280M			280M	49.32		59.68
280T (19MnVS6)			280T	49.32		59.68
280X (19MnVS6)			280X	37.13		44.93
316A			316A	18.66		22.58
322D (25CrMo4)			322D	156.71		189.62
322Y			322Y	117.07	130.07	141.65
326C (4140)			326C	153.75		186.03
327A			327A	213.76		258.65
327A	1233		327A	207.65	230.72	251.26
327A	1291		327A	207.65	230.72	251.26
327B			327B	188.60		228.20
355B			355B	440.17		532.60
356D (34CrNiMo6)			356D	416.76		504.28
368.6		9620		162.06		196.09
398Q			398Q	676.06		818.03
420G			420G	415.52		502.77
495B	6521		495B	597.81		723.35
497Q			497Q (X300)	525.19		635.49
510N			510N	18.31		22.15
513Y			513Y	52.17	57.96	63.12
520M	2721			22.87	25.41	27.67
S355J2(M)		9864		23.88	26.53	28.90
MPS2B ISSUE 2 (S355J2C)		9820		25.96	28.84	31.41
520-S355J2	2723			22.76	25.29	27.54
528A/E (50CrMo4)			528A/E (X500)	154.80	172.01	187.31
593B			593B	159.77	177.53	193.33
593Q			593Q	159.77	177.53	193.33
594Y			594Y	102.01	113.34	123.43
596Y			596Y	193.59	215.10	234.24
667L			677L/Q/T (X600)	197.66		239.16
803J/N/P (100Cr6)	5621		803 J/N/P	82.92	92.14	100.34
803F/Q (100Cr6)			803F/Q (X800)	84.46		102.20
802F	5620		802F	82.92	92.14	100.34
100Cr6		4268		82.92		100.34
824B (100CrMo7)			824B	190.63		230.66
825B (100CrMo7 3)			825B	227.89		275.75
826B (100CrMo7 4)			826B	306.99		371.46

825T			825T	240.10		290.53
827B			827B	363.27		439.55
837N/R (100CrMn6)			837N/R	95.46		115.51
15MA27	7245			74.11	82.34	89.67
1130	5616			157.67	175.19	
2725	4734			579.50	643.89	
3350	8312			347.49	386.10	
L435-2				631.00	701.11	
1500	7302			386.02	428.91	467.08
Hybrid 55				1596.44	1773.83	1931.70
Hybrid 60				1596.44	1773.83	1931.70
Imanite	6130			463.55	515.06	560.90
IMACRO	8302			261.81	290.90	316.79
IMACRO EL 700	9259			221.45	246.05	267.95
S355	2714			28.58	31.76	34.58
368.6	5478			156.89	174.32	189.84