

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
312.50	347.22	378

### Ovako UK scrap & alloy surcharges

**Aug-24**

Please note for customers buying in Euros the Q3 exchange rate is £1 = €1.172

#### Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
DH36		9837		22.76	25.29	27.54
NV A		8352		8.17	9.08	9.89
525A61/CCr3		9265		109.27	121.41	132.22
525A61/CCr3		4265 VDG		109.27	121.41	132.22
605M36/605A37	5905			135.81	150.90	
635M15/637M17	4712			157.64	175.15	
655M13	4714			533.45	592.72	
655M13	4715			493.75	548.61	
665M17	4801			348.97	387.75	
704A60/CrMo1		4234 VDG		144.76	160.84	175.16
704A60/CrMo1		9234		144.76	160.84	175.16
708M40/708A42	6126	9288 (708M40/708A42)		152.61	169.57	
709M40	6107			197.37	219.30	
709M40	6134			188.47	209.42	
722M24	8310			419.46	466.06	
735A51	7402	9282		91.26	101.40	
805H60		9280		204.61	227.35	
817M40	6506	9205		389.33	432.59	
817M40	6510			389.33	432.59	
817M40 + S		4205		386.03	428.92	
817M40			356B	388.87	432.08	470.54
826M40	6518			621.99	691.11	
945M38	6201			227.89	253.22	
SAE 1046		8673		42.55	47.28	
4130	6037	9226		196.21	218.02	
4140	6080	9288 (4140)		152.61	169.57	184.66
4140 Ni .2/.25	1272			177.54	197.27	
SAE 4140 Ni .35/.50	6139			215.05	238.95	260.21
SAE1117 ASTM A29		9133		13.10	14.55	15.85
4140 Mod (MPS 14)		9240		141.16	156.85	
4140H	6115			149.22	165.80	
4145	6097			147.94	164.37	
4150	6112	9286 (4150)		147.94	164.37	
4340	6514			392.98	436.64	
5160		9261		50.74	56.38	
8620	4542			196.64	218.49	237.94
8620	4548	9225	152G	196.87	218.75	238.22
8620(M)		9253		196.43	218.26	237.68
100Cr6	5621		803 J/N/P	80.78	89.75	97.74
CHAP031		9663		28.82	32.02	34.87
15B35Hm		9667		33.92	37.69	41.04
15B41 MOD		4689 VDG		45.36	50.40	54.88
15B41 MOD	5497			45.36	50.40	54.88
SB24M13B		9643		23.47	26.08	
SB27M12CB		9660		35.63	39.59	43.11
SB30M13B	9662			22.84	25.38	27.64
27M12B		9654		22.84	25.38	27.64
SB30M10B		9651		10.46	11.62	12.66
SB30M12CB		9661		39.05	43.39	47.25
SB33M15CB		4679		40.63	45.14	49.16
SB43M14B		4678		85.41	94.90	103.34
SB600		9823		38.13	42.37	46.14
16MnCr5	4316	9218		58.49	64.99	
16MnCr5	4306	9661		58.49	64.99	
17Cr3	5502			45.62	50.69	55.20
17MnV6	7252	9875		35.01	38.90	42.36
18CrNiMo7-6	4761			430.97	478.85	521.47

20MnCr5	4324			72.10	80.11	
20MnCr5	4334			72.10	80.11	
20MnB5+Cr+HH		4642		26.36	29.29	
20NiCrMo2	4532			168.85	187.61	
23MnNiMoCr54So		4209		431.38	479.31	
23MnNiMoCr54		4219		445.70	495.22	
27MnCrB5	5465			34.44	38.27	
30CrNiMo8	6507			565.45	628.28	
31CrMoV9	6140			255.57	283.96	
33MnCrB5/MPS16		4648 VDG		175.32	194.80	
MPS16		4648		175.32	194.80	
34CrNiMo6	6499	9205		425.65	472.95	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		108.92	121.03	
38MnSiV6	7221			39.64	44.04	
38MnVs6		4873		34.45	38.28	
40CrMo4	6077			163.37	181.52	197.68
42CrMo4	6082	9288 (42CrMo4)		163.17	181.30	
42CrMO4	1252			157.66	175.18	190.77
42CrMo4		4288		138.42	153.80	167.48
42CrMo4 MOD	6103			213.00	236.67	257.73
42CrMoS4+HH		9287		163.17	181.30	197.43
42CD4	1279			137.08	152.31	165.87
42MnV5		9859		89.30	99.22	108.05
49MnVs3		4850		26.46	29.40	32.01
50CrV4		9282		91.26	101.40	110.43
50CrMo4	6136			162.77	180.85	196.95
51CrV4		4282		93.79	104.21	113.49
51CrV4		4254		142.56	158.40	172.49
51CrV4		9212		84.68	94.08	102.46
51CrV4		4292		98.56	109.51	119.25
51CrV4 Type 1		4291		90.45	100.50	109.45
51CrMoV4		9296		174.74	194.16	211.44
52CrMoV4		4283		175.80	195.33	212.71
52CrMoV4		4296		171.39	190.44	207.39
51CrV4m4		4290		98.34	109.27	118.99
251A58		9073		36.23	40.25	43.83
56SiCr7		9072		25.14	27.94	30.42
56SiCr7		9084		37.33	41.48	
56SiCr7 Mod		9071		37.93	42.15	
61SiCr7(32-45 mm)		4077		44.65	49.62	
92506 ( 320/380)	4540			195.50	217.22	
92520	4738			310.17	344.63	
92520	4739			305.14	339.05	
92523	4741			273.04	303.38	
92506 'A Level'	1280			196.91	218.79	
92523	4743			258.31	287.01	
92245H	5515			96.26	106.95	116.47
3M		9885		95.95	106.61	
3M Issue 19		4885		72.50	80.56	
Ovako 482 (10M)		9857		39.79	44.21	
14M		4857		47.46	52.73	
17M/18M		9858		19.40	21.56	
17M		9891		19.40	21.56	
S460NL		9856		19.40	21.56	
A193 B7	6093			147.94	164.37	
A193 B16	6098			369.91	411.02	
A320 L7	1281			147.94	164.37	
A320 L7	6137			147.94	164.37	
A320 L7	6135			193.42	214.91	
ASTM A 350 LF2	2735			10.28	11.42	12.43
EN11		9262		40.91	45.45	
SMO215(HYTUFF)	4803			474.30	527.00	573.90
TB1398	4740			274.11	304.57	
V2525-75 (146S)	4757		146S	255.40	283.78	309.03
V2142	7256			35.47	39.41	42.92
V2158	4326			73.81	82.01	
V2158		4222		95.59	106.22	
V2244-75	1266			163.83	182.03	

V2244-00	6129			163.83	182.03	
V2250	6112			149.85	166.50	
V2527-70	4701			290.08	322.31	
453C (SS142534)			453C	590.30	655.89	714.27
SB500		9816		32.58	36.20	
V2906	7216	9850		25.53	28.37	
V2908		4108		24.54	27.26	
Cromobolt	6116			198.03	220.03	239.61
047A			047A	8.11	9.01	9.81
047R			047R	5.59	6.21	6.76
143A			143A	60.55	67.28	73.27
146S (V2525-75)	4757		146S	255.40	283.78	309.03
152G (8620)	4548	9225	152G	196.87	218.75	238.22
157C (4320)			157C	389.88	433.20	471.75
157F			157F	390.89	434.32	472.97
157Q			157Q	247.36	274.84	299.30
158Q			158Q	630.68	700.76	763.13
159B			159B	436.49	484.99	528.15
159X			159X	447.27	496.96	541.19
215B			215B	15.00	16.67	18.15
234K (16MnCr5)			234K	62.28	69.20	75.35
236F			236F	74.66	82.96	90.34
248D			248D	362.95	403.28	439.17
253A			253A	570.66	634.07	690.50
253F			253F	530.48	589.42	641.88
253L	4722		253L	574.57	638.41	695.23
253S			253S	571.39	634.88	691.38
255G			255G	631.52	701.68	764.13
256G			256G	711.42	790.47	860.82
258D			258D	832.93	925.48	1007.85
275A			275A	507.96		614.63
277L			277L (X200)	450.28	500.31	544.84
TS280M-LX		9880		35.29	39.21	42.70
280M			280M	47.82		57.86
280T (19MnVS6)			280T	47.82		57.86
280X (19MnVS6)			280X	35.94		43.48
316A			316A	18.00		21.78
322D (25CrMo4)			322D	154.21		186.60
322Y			322Y	115.20	128.00	139.39
326C (4140)			326C	151.14		182.88
327A			327A	206.54		249.91
327A	1233		327A	200.45	222.73	242.55
327A	1291		327A	200.45	222.73	242.55
327B			327B	183.27		221.75
355B			355B	402.38		486.88
356D (34CrNiMo6)			356D	385.41		466.35
368.6		9620		150.76		182.42
398Q			398Q	665.43		805.17
420G			420G	408.51		494.30
495B	6521		495B	582.02		704.24
497Q			497Q (X300)	486.55		588.73
510N			510N	17.79		21.52
513Y			513Y	50.74	56.38	61.40
520M	2721			22.13	24.59	26.77
S355J2(M)		9864		23.13	25.70	27.99
MPS2B ISSUE 2 (S355J2C)		9820		25.11	27.90	30.39
520-S355J2	2723			22.01	24.46	26.64
528A/E (50CrMo4)			528A/E (X500)	152.21	169.12	184.17
593B			593B	152.84	169.83	184.94
593Q			593Q	152.84	169.83	184.94
594Y			594Y	99.07	110.08	119.87
596Y			596Y	189.88	210.98	229.76
667L			677L/Q/T (X600)	194.62		235.48
803J/N/P (100Cr6)	5621		803 J/N/P	80.78	89.75	97.74
803F/Q (100Cr6)			803F/Q (X800)	82.27		99.55
802F	5620		802F	80.76	89.73	97.72
100Cr6		4268		80.76		97.72
824B (100CrMo7)			824B	187.15		226.45
825B (100CrMo7 3)			825B	223.95		270.97
826B (100CrMo7 4)			826B	302.28		365.75

825T			825T	236.03		285.60
827B			827B	357.84		432.99
837N/R (100CrMn6)			837N/R	92.98		112.50
15MA27	7245			72.24	80.26	87.40
1130	5616			155.23	172.48	
2725	4734			525.78	584.20	
3350	8312			341.15	379.06	
L435-2				570.96	634.40	
1500	7302			363.21	403.57	439.49
Hybrid 55				1467.59	1630.65	1775.78
Hybrid 60				1467.59	1630.65	1775.78
Imanite	6130			456.45	507.17	552.31
IMACRO	8302			255.43	283.81	309.07
IMACRO EL 700	9259			215.53	239.48	260.79
S355	2714			27.65	30.72	33.46
368.6	5478			146.35	162.61	177.08