

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
307.50	341.67	372

Ovako UK scrap & alloy surcharges

Sep-24 Please note for customers buying in Euros the Q3 exchange rate is £1 = €1.172

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
DH36		9837		20.80	23.11	25.16
NV A		8352		7.40	8.22	8.95
525A61/CCr3		9265		103.55	115.05	125.29
525A61/CCr3		4265 VDG		103.55	115.05	125.29
605M36/605A37	5905			126.52	140.57	
635M15/637M17	4712			147.63	164.03	
655M13	4714			498.03	553.36	
655M13	4715			460.88	512.09	
665M17	4801			325.11	361.23	
704A60/CrMo1		4234 VDG		136.68	151.87	165.38
704A60/CrMo1		9234		136.68	151.87	165.38
708M40/708A42	6126	9288 (708M40/708A42)		144.35	160.39	
709M40	6107			186.25	206.95	
709M40	6134			177.94	197.71	
722M24	8310			398.09	442.32	
735A51	7402	9282		87.04	96.71	
805H60		9280		191.29	212.54	
817M40	6506	9205		365.17	405.74	
817M40	6510			365.17	405.74	
817M40 + S		4205		362.33	402.59	
817M40			356B	364.73	405.25	441.32
826M40	6518			581.17	645.74	
945M38	6201			213.04	236.71	
SAE 1046		8673		39.92	44.35	
4130	6037	9226		183.84	204.26	
4140	6080	9288 (4140)		144.48	160.54	174.82
4140 Ni .2/.25	1272			167.34	185.93	
SAE 4140 Ni .35/.50	6139			202.30	224.77	244.78
SAE1117 ASTM A29		9133		11.83	13.15	14.32
4140 Mod (MPS 14)		9240		133.66	148.51	
4140H	6115			141.04	156.71	
4145	6097			139.80	155.33	
4150	6112	9286 (4150)		139.80	155.33	
4340	6514			367.83	408.70	
5160		9261		48.56	53.96	
8620	4542			184.22	204.69	222.90
8620	4548	9225	152G	184.44	204.93	223.17
8620(M)		9253		184.03	204.47	222.67
100Cr6	5621		803 J/N/P	78.10	86.78	94.50
CHAP031		9663		26.98	29.98	32.65
15B35Hm		9667		31.92	35.46	38.62
15B41 MOD		4689 VDG		42.77	47.52	51.75
15B41 MOD	5497			42.77	47.52	51.75
SB24M13B		9643		21.80	24.22	
SB27M12CB		9660		33.67	37.41	40.74
SB30M13B	9662			21.26	23.62	25.72
27M12B		9654		21.26	23.62	25.72
SB30M10B		9651		9.43	10.48	11.41
SB30M12CB		9661		36.91	41.01	44.66
SB33M15CB		4679		38.30	42.55	46.34
SB43M14B		4678		79.23	88.03	95.87
SB600		9823		35.28	39.20	42.68

16MnCr5	4316	9218		55.90	62.11	
16MnCr5	4306	9661		55.90	62.11	
17Cr3	5502			43.83	48.70	53.03
17MnV6	7252	9875		32.24	35.82	39.01
18CrNiMo7-6	4761			404.83	449.81	489.84
20MnCr5	4324			69.01	76.67	
20MnCr5	4334			69.01	76.67	
20MnB5+Cr+HH		4642		24.68	27.43	
20NiCrMo2	4532			158.49	176.10	
23MnNiMoCr54So		4209		403.41	448.24	
23MnNiMoCr54		4219		416.83	463.15	
27MnCrB5	5465			32.48	36.09	
30CrNiMo8	6507			531.09	590.10	
31CrMoV9	6140			243.26	270.29	
33MnCrB5/MPS 16		4648 VDG		163.55	181.72	
MPS16		4648		163.55	181.72	
34CrNiMo6	6499	9205		399.70	444.12	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		103.40	114.89	
38MnSiV6	7221			36.77	40.85	
38MnVs6		4873		31.79	35.32	
40CrMo4	6077			154.45	171.61	186.88
42CrMo4	6082	9288 (42CrMo4)		154.29	171.43	
42CrMO4	1252			149.21	165.79	180.54
42CrMo4		4288		130.99	145.54	158.50
42CrMo4 MOD	6103			201.06	223.40	243.28
42CrMoS4+HH		9287		154.29	171.43	186.69
42CD4	1279			129.74	144.16	156.99
42MnV5		9859		83.51	92.79	101.05
49MnVs3		4850		24.51	27.24	29.66
50CrV4		9282		87.04	96.71	105.32
50CrMo4	6136			153.97	171.07	186.30
51CrV4		4282		89.34	99.27	108.10
51CrV4		4254		135.17	150.19	163.56
51CrV4		9212		80.75	89.73	97.71
51CrV4		4292		93.97	104.41	113.70
51CrV4 Type 1		4291		86.14	95.71	104.23
51CrMoV4		9296		165.14	183.49	199.82
52CrMoV4		4283		166.31	184.78	201.23
52CrMoV4		4296		162.00	180.00	196.02
51CrV4m4		4290		93.78	104.20	113.47
251A58		9073		34.36	38.17	41.57
56SiCr7		9072		23.57	26.19	28.52
56SiCr7		9084		35.60	39.55	
56SiCr7 Mod		9071		35.98	39.97	
61SiCr7(32-45 mm)		4077		42.41	47.12	
92506 (320/380)	4540			183.12	203.46	
92520	4738			290.97	323.30	
92520	4739			286.06	317.85	
92523	4741			256.06	284.51	
92506 'A Level'	1280			184.55	205.05	
92523	4743			242.37	269.30	
92245H	5515			91.66	101.85	110.91
3M		9885		91.08	101.20	
3M Issue 19		4885		69.11	76.79	
Ovako 482 (10M)		9857		36.85	40.94	
14M		4857		44.29	49.22	
17M/18M		9858		18.23	20.25	
17M		9891		18.23	20.25	
S460NL		9856		18.23	20.25	
A193 B7	6093			139.80	155.33	
A193 B16	6098			347.96	386.62	
A320 L7	1281			139.80	155.33	
A320 L7	6137			139.80	155.33	

A320 L7	6135			182.40	202.66	
ASTM A 350 LF2	2735			9.25	10.28	11.20
EN11		9262		39.19	43.54	
SMO215(HYTUFF)	4803			442.83	492.03	535.83
TB1398	4740			257.01	285.56	
V2525-75 (146S)	4757		146S	239.41	266.01	289.68
V2142	7256			32.68	36.31	39.54
V2158	4326			70.63	78.48	
V2158		4222		90.86	100.96	
V2244-75	1266			154.89	172.10	
V2244-00	6129			154.89	172.10	
V2250	6112			141.71	157.46	
V2527-70	4701			272.87	303.19	
453C (SS142534)			453C	551.88	613.20	667.77
SB500		9816		29.94	33.27	
V2906	7216	9850		23.65	26.27	
V2908		4108		22.75	25.28	
Cromobolt	6116			187.67	208.52	227.08
047A			047A	7.37	8.19	8.91
047R			047R	4.95	5.50	5.99
143A			143A	57.88	64.31	70.03
146S (V2525-75)	4757		146S	239.41	266.01	289.68
152G (8620)	4548	9225	152G	184.44	204.93	223.17
157C (4320)			157C	364.28	404.76	440.78
157F			157F	365.95	406.61	442.79
157Q			157Q	232.01	257.79	280.73
158Q			158Q	589.10	654.56	712.82
159B			159B	410.03	455.58	496.13
159X			159X	420.25	466.95	508.51
215B			215B	13.48	14.98	16.32
234K (16MnCr5)			234K	59.53	66.15	72.03
236F			236F	71.49	79.43	86.50
248D			248D	341.46	379.40	413.17
253A			253A	533.90	593.22	646.02
253F			253F	496.61	551.78	600.89
253L	4722		253L	537.54	597.27	650.43
253S			253S	534.59	593.98	646.85
255G			255G	590.76	656.40	714.82
256G			256G	664.95	738.83	804.59
258D			258D	781.38	868.20	945.47
275A			275A	474.49		574.14
277L			277L (X200)	424.49	471.65	513.63
TS280M-LX		9880		32.53	36.15	39.37
280M			280M	44.67		54.06
280T (19MnVS6)			280T	44.67		54.06
280X (19MnVS6)			280X	33.10		40.06
316A			316A	16.12		19.50
322D (25CrMo4)			322D	145.93		176.58
322Y			322Y	108.27	120.30	131.00
326C (4140)			326C	142.85		172.85
327A			327A	194.81		235.72
327A	1233		327A	189.07	210.08	228.77
327A	1291		327A	189.07	210.08	228.77
327B			327B	172.87		209.18
355B			355B	376.35		455.38
356D (34CrNiMo6)			356D	361.90		437.90
368.6		9620		141.35		171.03
398Q			398Q	628.21		760.13
420G			420G	387.86		469.31
495B	6521		495B	546.18		660.87
497Q			497Q (X300)	455.55		551.22
510N			510N	16.61		20.10
513Y			513Y	48.56	53.96	58.76
520M	2721			20.31	22.57	24.57
S355J2(M)		9864		21.31	23.68	25.79

MPS2B ISSUE 2 (S355J2C)		9820		23.10	25.67	27.96
520-S355J2	2723			20.13	22.36	24.35
528A/E (50CrMo4)			528A/E (X500)	144.03	160.04	174.28
593B			593B	144.54	160.60	174.89
593Q			593Q	144.54	160.60	174.89
594Y			594Y	94.40	104.89	114.23
596Y			596Y	179.27	199.19	216.92
667L			677L/Q/T (X600)	183.79		222.39
803J/N/P (100Cr6)	5621		803 J/N/P	78.10	86.78	94.50
803F/Q (100Cr6)			803F/Q (X800)	79.53		96.23
802F	5620		802F	78.07	86.74	94.46
100Cr6		4268		78.07		94.46
824B (100CrMo7)			824B	178.24		215.67
825B (100CrMo7 3)			825B	212.52		257.15
826B (100CrMo7 4)			826B	285.84		345.86
825T			825T	223.81		270.81
827B			827B	337.98		408.96
837N/R (100CrMn6)			837N/R	89.34		108.10
15MA27	7245			67.48	74.98	81.65
1130	5616			146.92	163.25	
2725	4734			492.14	546.82	
3350	8312			324.83	360.92	
L435-2				534.20	593.56	
1500	7302			340.72	378.58	412.27
Hybrid 55				1378.34	1531.49	1667.79
Hybrid 60				1378.34	1531.49	1667.79
Imanite	6130			429.60	477.34	519.82
IMACRO	8302			245.82	273.13	297.44
IMACRO EL 700	9259			208.33	231.48	252.08
S355	2714			25.45	28.28	30.79
368.6	5478			137.32	152.57	166.15