

Black bar Scrap Surcharge GBP	Imatra Bright bar Scrap Surcharge GBP	HoHE Bright bar & Tube Scrap Surcharge GBP
302.50	336.11	366

## Ovako UK scrap & alloy surcharges

**Oct-24**

Please note for customers buying in Euros the Q4 exchange rate is £1 = €1.183

### Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		19.76	21.96	23.91
NV A		8352		6.91	7.67	8.36
525A61/CCr3		9265		97.83	108.70	118.37
525A61/CCr3		4265 VDG		97.83	108.70	118.37
605M36/605A37	5905			122.75	136.39	
635M15/637M17	4712			142.92	158.80	
655M13	4714			486.73	540.81	
655M13	4715			450.58	500.64	
665M17	4801			318.68	354.09	
704A60/CrMo1		4234 VDG		130.25	144.72	157.60
704A60/CrMo1		9234		130.25	144.72	157.60
708M40/708A42	6126	9288 (708M40/708A42)		137.26	152.51	
709M40	6107			178.07	197.86	
709M40	6134			169.97	188.86	
722M24	8310			378.15	420.17	
735A51	7402	9282		80.99	89.98	
805H60		9280		185.03	205.59	
817M40	6506	9205		353.89	393.21	
817M40	6510			353.89	393.21	
817M40 + S		4205		350.68	389.65	
817M40			356B	353.49	392.76	427.72
826M40	6518			567.26	630.29	
945M38	6201			206.58	229.53	
SAE 1046		8673		37.96	42.18	
4130	6037	9226		178.02	197.80	
4140	6080	9288 (4140)		137.35	152.61	166.19
4140 Ni .2/.25	1272			160.21	178.01	
SAE 4140 Ni .35/.50	6139			194.52	216.13	235.36
SAE1117 ASTM A29		9133		11.06	12.28	13.38
4140 Mod (MPS 14)		9240		126.75	140.84	
4140H	6115			134.23	149.15	
4145	6097			133.10	147.88	
4150	6112	9286 (4150)		133.10	147.88	
4340	6514			358.33	398.15	
5160		9261		44.65	49.61	
8620	4542			178.38	198.20	215.84
8620	4548	9225	152G	178.58	198.43	216.09
8620(M)		9253		178.20	198.00	215.63
100Cr6	5621		803 J/N/P	71.60	79.55	86.63
CHAP031		9663		24.96	27.73	30.20
15B35Hm		9667		29.48	32.76	35.68
15B41 MOD		4689 VDG		39.49	43.88	47.78
15B41 MOD	5497			39.49	43.88	47.78
SB24M13B		9643		20.21	22.46	
SB27M12CB		9660		31.06	34.52	37.59
SB30M13B	9662			19.70	21.89	23.84
27M12B		9654		19.70	21.89	23.84
SB30M10B		9651		8.82	9.80	10.67
SB30M12CB		9661		34.05	37.84	41.20
SB33M15CB		4679		35.36	39.29	42.79
SB43M14B		4678		76.96	85.51	93.12
SB600		9823		33.72	37.46	40.80
16MnCr5	4316	9218		51.42	57.13	
16MnCr5	4306	9661		51.42	57.13	
17Cr3	5502			40.25	44.72	48.70
17MnV6	7252	9875		30.55	33.95	36.97
18CrNiMo7-6	4761			391.27	434.74	473.43
20MnCr5	4324			63.45	70.50	
20MnCr5	4334			63.45	70.50	

20MnB5+Cr+HH		4642		22.84	25.37	
20NiCrMo2	4532			152.69	169.66	
23MnNiMoCr54So		4209		392.26	435.85	
23MnNiMoCr54		4219		405.33	450.36	
27MnCrB5	5465			29.99	33.32	
30CrNiMo8	6507			513.77	570.86	
31CrMoV9	6140			229.43	254.92	
33MnCrB5/MPS 16		4648 VDG		158.88	176.53	
MPS16		4648		158.88	176.53	
34CrNiMo6	6499	9205		386.57	429.52	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		97.43	108.25	
38MnSiV6	7221			34.92	38.80	
38MnVs6		4873		30.18	33.53	
40CrMo4	6077			147.11	163.45	178.00
42CrMo4	6082	9288 (42CrMo4)		146.95	163.28	
42CrMO4	1252			141.82	157.58	171.60
42CrMo4		4288		124.40	138.23	150.53
42CrMo4 MOD	6103			192.24	213.60	232.61
42CrMoS4+HH		9287		146.95	163.28	177.81
42CD4	1279			123.15	136.83	149.01
42MnV5		9859		79.78	88.65	96.54
49MnVs3		4850		23.27	25.86	28.16
50CrV4		9282		80.99	89.98	97.99
50CrMo4	6136			146.64	162.93	177.43
51CrV4		4282		83.28	92.54	100.77
51CrV4		4254		127.43	141.59	154.19
51CrV4		9212		75.05	83.39	90.82
51CrV4		4292		87.37	97.07	105.71
51CrV4 Type 1		4291		80.19	89.10	97.03
51CrMoV4		9296		157.15	174.61	190.15
52CrMoV4		4283		157.87	175.41	191.03
52CrMoV4		4296		153.94	171.04	186.27
51CrV4m4		4290		87.19	96.87	105.50
251A58		9073		31.63	35.14	38.27
56SiCr7		9072		21.76	24.18	26.33
56SiCr7		9084		32.73	36.36	
56SiCr7 Mod		9071		33.12	36.80	
61SiCr7(32-45 mm)		4077		39.04	43.38	
92506 ( 320/380)	4540			177.37	197.08	
92520	4738			281.60	312.89	
92520	4739			277.16	307.95	
92523	4741			247.71	275.23	
92506 'A Level'	1280			178.57	198.42	
92523	4743			234.11	260.12	
92245H	5515			85.93	95.48	103.98
3M		9885		85.54	95.05	
3M Issue 19		4885		64.23	71.37	
Ovako 482 (10M)		9857		34.99	38.87	
14M		4857		41.81	46.45	
17M/18M		9858		17.46	19.41	
17M		9891		17.46	19.41	
S460NL		9856		17.46	19.41	
A193 B7	6093			133.10	147.88	
A193 B16	6098			335.04	372.26	
A320 L7	1281			133.10	147.88	
A320 L7	6137			133.10	147.88	
A320 L7	6135			174.60	194.00	
ASTM A 350 LF2	2735			8.66	9.62	10.47
EN11		9262		36.02	40.02	
SMO215(HYTUFF)	4803			431.65	479.62	522.30
TB1398	4740			248.60	276.23	
V2525-75 (146S)	4757		146S	231.74	257.49	280.41
V2142	7256			30.96	34.39	37.46
V2158	4326			64.94	72.16	
V2158		4222		85.12	94.58	
V2244-75	1266			147.51	163.90	
V2244-00	6129			147.51	163.90	
V2250	6112			134.83	149.81	
V2527-70	4701			263.05	292.28	
453C (SS142534)			453C	538.29	598.10	651.33

SB500		9816		28.50	31.67	
V2906	7216	9850		22.44	24.93	
V2908		4108		21.10	23.44	
Cromobolt	6116			178.15	197.94	215.56
047A			047A	6.87	7.63	8.31
047R			047R	4.65	5.17	5.63
143A			143A	53.23	59.15	64.41
146S (V2525-75)	4757		146S	231.74	257.49	280.41
152G (8620)	4548	9225	152G	178.58	198.43	216.09
157C (4320)			157C	355.32	394.80	429.94
157F			157F	355.50	395.00	430.15
157Q			157Q	224.41	249.35	271.54
158Q			158Q	575.66	639.62	696.55
159B			159B	396.42	440.47	479.67
159X			159X	406.15	451.28	491.45
215B			215B	12.62	14.02	15.27
234K (16MnCr5)			234K	54.75	60.84	66.25
236F			236F	65.72	73.02	79.52
248D			248D	329.24	365.82	398.38
253A			253A	519.78	577.54	628.94
253F			253F	483.23	536.92	584.70
253L	4722		253L	523.41	581.57	633.33
253S			253S	520.42	578.24	629.71
255G			255G	575.48	639.43	696.34
256G			256G	648.61	720.68	784.82
258D			258D	757.78	841.98	916.92
275A			275A	461.91		558.91
277L			277L (X200)	406.91	452.12	492.36
TS280M-LX		9880		30.85	34.27	37.32
280M			280M	41.94		50.75
280T (19MnVS6)			280T	41.94		50.75
280X (19MnVS6)			280X	31.38		37.97
316A			316A	15.10		18.28
322D (25CrMo4)			322D	139.01		168.20
322Y			322Y	103.64	115.16	125.41
326C (4140)			326C	135.91		164.45
327A			327A	186.56		225.74
327A	1233		327A	180.96	201.06	218.96
327A	1291		327A	180.96	201.06	218.96
327B			327B	165.50		200.26
355B			355B	366.32		443.25
356D (34CrNiMo6)			356D	349.90		423.38
368.6		9620		136.20		164.80
398Q			398Q	602.09		728.52
420G			420G	368.17		445.49
495B	6521		495B	528.74		639.77
497Q			497Q (X300)	442.46		535.38
510N			510N	15.37		18.60
513Y			513Y	44.65	49.61	54.02
520M	2721			19.22	21.35	23.25
S355J2(M)		9864		20.19	22.43	24.43
MPS2B ISSUE 2 (S355J2C)		9820		21.89	24.32	26.49
520-S355J2	2723			19.01	21.12	23.00
528A/E (50CrMo4)			528A/E (X500)	136.95	152.16	165.71
593B			593B	137.17	152.41	165.98
593Q			593Q	137.17	152.41	165.98
594Y			594Y	87.93	97.70	106.40
596Y			596Y	170.96	189.95	206.86
667L			677L/Q/T (X600)	174.71		211.40
803J/N/P (100Cr6)	5621		803 J/N/P	71.60	79.55	86.63
803F/Q (100Cr6)			803F/Q (X800)	72.91		88.22
802F	5620		802F	71.57	79.53	86.61
100Cr6		4268		71.57		86.61
824B (100CrMo7)			824B	168.20		203.52
825B (100CrMo7 3)			825B	201.50		243.81
826B (100CrMo7 4)			826B	272.92		330.23
825T			825T	212.46		257.08
827B			827B	323.18		391.04
837N/R (100CrMn6)			837N/R	82.04		99.27
15MA27	7245			64.15	71.27	77.62
1130	5616			140.12	155.69	
2725	4734			478.76	531.95	

3350	8312			306.77	340.86	
L435-2				520.06	577.84	
1500	7302			329.47	366.08	398.66
Hybrid 55				1333.66	1481.85	1613.73
Hybrid 60				1333.66	1481.85	1613.73
Imanite	6130			413.48	459.43	500.31
IMACRO	8302			227.30	252.56	275.04
IMACRO EL 700	9259			191.02	212.24	231.13
S355	2714			24.13	26.81	29.20
368.6	5478			132.15	146.84	159.91