

Black bar Scrap Surcharge GBP	Imatra Bright bar Scrap Surcharge GBP	HoHE Bright bar & Tube Scrap Surcharge GBP
302.50	336.11	366

Ovako UK scrap & alloy surcharges

Nov-24

Please note for customers buying in Euros the Q4 exchange rate is £1 = €1.183

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surcharge	Imatra Bright Bar Surcharge	HoHe Bright Bar & Tube Surcharge
DH36		9837		18.16	20.17	21.97
NV A		8352		5.77	6.41	6.98
525A61/CCr3		9265		92.63	102.92	112.08
525A61/CCr3		4265 VDG		92.63	102.92	112.08
605M36/605A37	5905			119.85	133.16	
635M15/637M17	4712			147.52	163.91	
655M13	4714			511.57	568.41	
655M13	4715			476.74	529.71	
665M17	4801			332.78	369.76	
704A60/CrMo1		4234 VDG		125.03	138.92	151.28
704A60/CrMo1		9234		125.03	138.92	151.28
708M40/708A42	6126	9288 (708M40/708A42)		131.53	146.14	
709M40	6107			172.10	191.22	
709M40	6134			164.06	182.29	
722M24	8310			363.78	404.20	
735A51	7402	9282		76.04	84.49	
805H60		9280		185.03	205.59	
817M40	6506	9205		361.17	401.29	
817M40	6510			361.17	401.29	
817M40 + S		4205		357.43	397.14	
817M40			356B	360.80	400.88	436.56
826M40	6518			585.32	650.36	
945M38	6201			208.82	232.02	
SAE 1046		8673		37.06	41.18	
4130	6037	9226		179.37	199.30	
4140	6080	9288 (4140)		131.75	146.39	159.42
4140 Ni .2/.25	1272			156.81	174.23	
SAE 4140 Ni .35/.50	6139			192.84	214.27	233.34
SAE1117 ASTM A29		9133		9.21	10.23	11.14
4140 Mod (MPS 14)		9240		124.17	137.96	
4140H	6115			128.73	143.03	
4145	6097			127.68	141.87	
4150	6112	9286 (4150)		127.68	141.87	
4340	6514			371.05	412.28	
5160		9261		40.28	44.76	
8620	4542			179.66	199.62	217.39
8620	4548	9225	152G	179.85	199.83	217.61
8620(M)		9253		179.52	199.46	217.22
100Cr6	5621		803 J/N/P	65.47	72.75	79.22
CHAP031		9663		21.86	24.29	26.45
15B35Hm		9667		25.99	28.88	31.45
15B41 MOD		4689 VDG		34.91	38.79	42.24
15B41 MOD	5497			34.91	38.79	42.24
SB24M13B		9643		17.50	19.44	
SB27M12CB		9660		27.54	30.60	33.33
SB30M13B	9662			17.11	19.01	20.70
27M12B		9654		17.11	19.01	20.70
SB30M10B		9651		7.32	8.13	8.86
SB30M12CB		9661		30.21	33.56	36.55
SB33M15CB		4679		31.25	34.72	37.81
SB43M14B		4678		76.37	84.86	92.41
SB600		9823		32.64	36.27	39.49
16MnCr5	4316	9218		46.28	51.42	
16MnCr5	4306	9661		46.28	51.42	
17Cr3	5502			36.51	40.56	44.17
17MnV6	7252	9875		28.37	31.52	34.33
18CrNiMo7-6	4761			397.10	441.22	480.49
20MnCr5	4324			57.23	63.59	
20MnCr5	4334			57.23	63.59	

20MnB5+Cr+HH		4642		20.00	22.22	
20NiCrMo2	4532			155.90	173.22	
23MnNiMoCr54So		4209		396.00	440.00	
23MnNiMoCr54		4219		409.04	454.49	
27MnCrB5	5465			26.52	29.47	
30CrNiMo8	6507			522.50	580.56	
31CrMoV9	6140			219.17	243.52	
33MnCrB5/MPS 16		4648 VDG		164.50	182.78	
MPS16		4648		164.50	182.78	
34CrNiMo6	6499	9205		392.82	436.47	
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646		92.77	103.07	
38MnSiV6	7221			33.32	37.03	
38MnVs6		4873		28.35	31.50	
40CrMo4	6077			141.38	157.09	171.08
42CrMo4	6082	9288 (42CrMo4)		141.28	156.98	
42CrMO4	1252			135.91	151.01	164.45
42CrMo4		4288		118.97	132.19	143.95
42CrMo4 MOD	6103			185.91	206.56	224.95
42CrMoS4+HH		9287		141.28	156.98	170.95
42CD4	1279			117.64	130.71	142.35
42MnV5		9859		78.79	87.55	95.34
49MnVs3		4850		22.10	24.56	26.74
50CrV4		9282		76.04	84.49	92.01
50CrMo4	6136			141.08	156.75	170.70
51CrV4		4282		78.51	87.23	95.00
51CrV4		4254		121.43	134.92	146.93
51CrV4		9212		70.15	77.95	84.89
51CrV4		4292		81.74	90.82	98.90
51CrV4 Type 1		4291		75.19	83.54	90.98
51CrMoV4		9296		151.57	168.41	183.40
52CrMoV4		4283		151.98	168.86	183.89
52CrMoV4		4296		148.32	164.80	179.47
51CrV4m4		4290		81.59	90.66	98.73
251A58		9073		28.33	31.48	34.28
56SiCr7		9072		19.23	21.36	23.26
56SiCr7		9084		29.50	32.78	
56SiCr7 Mod		9071		29.66	32.96	
61SiCr7(32-45 mm)		4077		34.97	38.86	
92506 (320/380)	4540			178.74	198.60	
92520	4738			287.48	319.42	
92520	4739			283.88	315.42	
92523	4741			252.97	281.08	
92506 'A Level'	1280			178.89	198.77	
92523	4743			238.22	264.68	
92245H	5515			80.61	89.56	97.54
3M		9885		81.25	90.28	
3M Issue 19		4885		59.96	66.63	
Ovako 482 (10M)		9857		33.20	36.89	
14M		4857		39.46	43.85	
17M/18M		9858		17.70	19.67	
17M		9891		17.70	19.67	
S460NL		9856		17.70	19.67	
A193 B7	6093			127.68	141.87	
A193 B16	6098			329.72	366.35	
A320 L7	1281			127.68	141.87	
A320 L7	6137			127.68	141.87	
A320 L7	6135			170.84	189.82	
ASTM A 350 LF2	2735			7.17	7.97	8.68
EN11		9262		32.54	36.15	
SMO215(HYTUFF)	4803			442.95	492.17	535.97
TB1398	4740			253.69	281.88	
V2525-75 (146S)	4757		146S	236.59	262.88	286.27
V2142	7256			28.74	31.93	34.78
V2158	4326			58.56	65.07	
V2158		4222		81.00	89.99	
V2244-75	1266			141.75	157.50	
V2244-00	6129			141.75	157.50	
V2250	6112			129.34	143.71	
V2527-70	4701			270.24	300.27	
453C (SS142534)			453C	561.50	623.89	679.42

SB500		9816		26.75	29.72	
V2906	7216	9850		21.26	23.62	
V2908		4108		18.25	20.27	
Cromobolt	6116			170.64	189.60	206.47
047A			047A	5.78	6.42	6.99
047R			047R	3.74	4.16	4.53
143A			143A	47.94	53.27	58.01
146S (V2525-75)	4757		146S	236.59	262.88	286.27
152G (8620)	4548	9225	152G	179.85	199.83	217.61
157C (4320)			157C	367.95	408.83	445.22
157F			157F	358.42	398.24	433.69
157Q			157Q	231.72	257.47	280.39
158Q			158Q	592.78	658.64	717.26
159B			159B	402.89	447.66	487.50
159X			159X	412.29	458.10	498.87
215B			215B	10.43	11.58	12.61
234K (16MnCr5)			234K	49.31	54.79	59.67
236F			236F	59.32	65.91	71.78
248D			248D	338.53	376.14	409.62
253A			253A	539.55	599.50	652.85
253F			253F	501.22	556.91	606.47
253L	4722		253L	543.70	604.11	657.88
253S			253S	540.11	600.12	653.53
255G			255G	599.91	666.56	725.89
256G			256G	675.50	750.55	817.35
258D			258D	764.53	849.48	925.09
275A			275A	473.43		572.85
277L			277L (X200)	400.61	445.12	484.74
TS280M-LX		9880		28.78	31.98	34.83
280M			280M	38.85		47.01
280T (19MnVS6)			280T	38.85		47.01
280X (19MnVS6)			280X	29.21		35.35
316A			316A	12.40		15.00
322D (25CrMo4)			322D	133.88		162.00
322Y			322Y	99.69	110.76	120.62
326C (4140)			326C	130.20		157.55
327A			327A	182.68		221.04
327A	1233		327A	176.98	196.65	214.15
327A	1291		327A	176.98	196.65	214.15
327B			327B	161.47		195.38
355B			355B	377.86		457.22
356D (34CrNiMo6)			356D	355.66		430.35
368.6		9620		136.49		165.15
398Q			398Q	588.14		711.65
420G			420G	353.86		428.17
495B	6521		495B	525.35		635.67
497Q			497Q (X300)	452.81		547.90
510N			510N	13.42		16.24
513Y			513Y	40.28	44.76	48.74
520M	2721			17.60	19.55	21.29
S355J2(M)		9864		18.75	20.83	22.69
MPS2B ISSUE 2 (S355J2C)		9820		20.27	22.52	24.53
520-S355J2	2723			17.11	19.01	20.70
528A/E (50CrMo4)			528A/E (X500)	131.32	145.91	158.90
593B			593B	133.65	148.50	161.71
593Q			593Q	133.65	148.50	161.71
594Y			594Y	82.73	91.93	100.11
596Y			596Y	165.58	183.98	200.36
667L			677L/Q/T (X600)	166.97		202.03
803J/N/P (100Cr6)	5621		803 J/N/P	65.47	72.75	79.22
803F/Q (100Cr6)			803F/Q (X800)	66.66		80.66
802F	5620		802F	65.43	72.70	79.17
100Cr6		4268		65.43		79.17
824B (100CrMo7)			824B	160.37		194.04
825B (100CrMo7 3)			825B	192.95		233.47
826B (100CrMo7 4)			826B	263.96		319.39
825T			825T	203.74		246.53
827B			827B	312.95		378.67
837N/R (100CrMn6)			837N/R	74.42		90.05
15MA27	7245			61.39	68.21	74.28
1130	5616			135.37	150.42	
2725	4734			495.70	550.78	

3350	8312			292.86	325.40	
L435-2				539.82	599.80	
1500	7302			332.68	369.65	402.55
Hybrid 55				1366.63	1518.47	1653.62
Hybrid 60				1366.63	1518.47	1653.62
Imanite	6130			406.37	451.52	491.71
IMACRO	8302			210.36	233.74	254.54
IMACRO EL 700	9259			174.57	193.96	211.23
S355	2714			22.42	24.91	27.13
368.6	5478			132.07	146.74	159.80