

Black bar Scrap Surchage GBP	Imatra Bright bar Scrap Surchage GBP	HoHE Bright bar & Tube Scrap Surchage GBP
297.50	330.56	360

Ovako UK scrap & alloy surcharges

dec-24 Please note for customers buying in Euros the Q4 exchange rate is £1 = €1.183

Alloy Surcharges

Specification	Imatra Grade	Smebox Grade	HoHe Grade	Black bar Surchage	Imatra Bright Bar Surchage	HoHe Bright Bar & Tube Surchage
DH36		9837		17.97	19.96	21.74
NV A		8352		5.28	5.87	6.39
525A61/CCr3		9265		92.54	102.82	111.97
525A61/CCr3		4265 VDG		92.54	102.82	111.97
605M36/605A37	5905			122.62	136.25	
635M15/637M17	4712			138.49	153.88	
655M13	4714			483.93	537.69	
655M13	4715			446.15	495.72	
665M17	4801			320.77	356.41	
704A60/CrMo1		4234 VDG		126.20	140.23	152.71
704A60/CrMo1		9234		126.20	140.23	152.71
708M40/708A42	6126	9288 (708M40/708A42)		132.55	147.28	
709M40	6107			174.54	193.94	
709M40	6134			166.23	184.70	
722M24	8310			367.40	408.22	
735A51	7402	9282		75.86	84.29	
805H60		9280		181.32	201.46	
817M40	6506	9205		350.27	389.19	
817M40	6510			350.27	389.19	
817M40 + S		4205		345.98	384.42	
817M40			356B	349.89	388.77	423.37
826M40	6518			569.86	633.18	
945M38	6201			203.58	226.20	
SAE 1046		8673		34.92	38.80	
4130	6037	9226		176.34	195.93	
4140	6080	9288 (4140)		132.87	147.63	160.77
4140 Ni .2/.25	1272			155.98	173.31	
SAE 4140 Ni .35/.50	6139			190.63	211.81	230.66
SAE1117 ASTM A29		9133		8.41	9.35	10.18
4140 Mod (MPS 14)		9240		119.08	132.31	
4140H	6115			129.82	144.25	
4145	6097			128.81	143.12	
4150	6112	9286 (4150)		128.81	143.12	
4340	6514			357.84	397.60	
5160		9261		38.74	43.04	
8620	4542			176.59	196.21	213.68
8620	4548	9225	152G	176.78	196.42	213.90
8620(M)		9253		176.47	196.07	213.52
100Cr6	5621		803 J/N/P	63.54	70.60	76.88
CHAP031		9663		20.59	22.88	24.92
15B35Hm		9667		24.59	27.32	29.75
15B41 MOD		4689 VDG		33.09	36.77	40.04
15B41 MOD	5497			33.09	36.77	40.04
SB24M13B		9643		16.35	18.17	
SB27M12CB		9660		26.18	29.08	31.67
SB30M13B	9662			16.03	17.81	19.40
27M12B		9654		16.03	17.81	19.40
SB30M10B		9651		6.66	7.40	8.05
SB30M12CB		9661		28.71	31.90	34.74
SB33M15CB		4679		29.63	32.93	35.86
SB43M14B		4678		75.07	83.41	90.84
SB600		9823		33.19	36.87	40.16
16MnCr5	4316	9218		44.34	49.27	
16MnCr5	4306	9661		44.34	49.27	
17Cr3	5502			35.26	39.17	42.66

17MnV6	7252	9875	28.37	31.53	34.33	
18CrNiMo7-6	4761		385.51	428.34	466.46	
20MnCr5	4324		55.02	61.13		
20MnCr5	4334		55.02	61.13		
20MnB5+Cr+HH		4642	18.84	20.93		
20NiCrMo2	4532		146.77	163.08		
23MnNiMoCr54So		4209	393.63	437.37		
23MnNiMoCr54		4219	407.18	452.42		
27MnCrB5	5465		25.16	27.96		
30CrNiMo8	6507		507.78	564.20		
31CrMoV9	6140		220.51	245.01		
33MnCrB5/MPS 16		4648 VDG	153.92	171.02		
MPS16		4648	153.92	171.02		
34CrNiMo6	6499	9205	381.38	423.76		
36CrB4 (MPS10)		4646 VDG				
36CrB4 (MPS10)		9646				
36CrB4		4646	91.01	101.12		
38MnSiV6	7221		34.03	37.82		
38MnVs6		4873	28.60	31.78		
40CrMo4	6077		142.80	158.66	172.79	
42CrMo4	6082	9288 (42CrMo4)	142.73	158.59		
42CrMO4	1252		136.99	152.21	165.76	
42CrMo4		4288	119.71	133.01	144.85	
42CrMo4 MOD	6103		188.60	209.56	228.21	
42CrMoS4+HH		9287	142.73	158.59	172.71	
42CD4	1279		118.30	131.44	143.14	
42MnV5		9859	77.21	85.78	93.42	
49MnVs3		4850	22.49	24.99	27.21	
50CrV4		9282	75.86	84.29	91.79	
50CrMo4	6136		142.60	158.45	172.55	
51CrV4		4282	78.55	87.27	95.04	
51CrV4		4254	122.27	135.86	147.95	
51CrV4		9212	69.71	77.46	84.35	
51CrV4		4292	81.30	90.33	98.37	
51CrV4 Type 1		4291	74.96	83.29	90.70	
51CrMoV4		9296	153.82	170.91	186.12	
52CrMoV4		4283	154.09	171.22	186.45	
52CrMoV4		4296	150.51	167.23	182.12	
51CrV4m4		4290	81.17	90.19	98.22	
251A58		9073	27.60	30.66	33.39	
56SiCr7		9072	18.72	20.80	22.65	
56SiCr7		9084	28.78	31.98		
56SiCr7 Mod		9071	28.86	32.07		
61SiCr7(32-45 mm)		4077	33.88	37.64		
92506 (320/380)	4540		175.66	195.18		
92520	4738		276.75	307.50		
92520	4739		272.62	302.91		
92523	4741		242.47	269.42		
92506 'A Level'	1280		177.11	196.79		
92523	4743		228.33	253.69		
92245H	5515		79.93	88.81	96.72	
3M		9885	81.72	90.81		
3M Issue 19		4885	59.54	66.16		
Ovako 482 (10M)		9857	33.77	37.52		
14M		4857	39.85	44.28		
17M/18M		9858	18.84	20.94		
17M		9891	18.84	20.94		
S460NL		9856	18.84	20.94		
A193 B7	6093		128.81	143.12		
A193 B16	6098		339.62	377.35		
A320 L7	1281		128.81	143.12		
A320 L7	6137		128.81	143.12		
A320 L7	6135		170.28	189.20		
ASTM A 350 LF2	2735		6.51	7.23	7.87	
EN11		9262	31.33	34.81		
SMO215(HYTUFF)	4803		431.60	479.55	522.23	
TB1398	4740		243.10	270.12		
V2525-75 (146S)	4757		146S	227.13	252.37	274.83

V2142	7256			28.75	31.94	34.78
V2158	4326			56.28	62.54	
V2158		4222		77.09	85.66	
V2244-75	1266			143.17	159.08	
V2244-00	6129			143.17	159.08	
V2250	6112			130.46	144.95	
V2527-70	4701			254.65	282.94	
453C (SS142534)			453C	535.62	595.13	648.10
SB500		9816		26.93	29.92	
V2906	7216	9850		21.59	23.99	
V2908		4108		17.12	19.03	
Cromobolt	6116			171.87	190.96	207.96
047A			047A	5.33	5.92	6.45
047R			047R	3.28	3.64	3.97
143A			143A	46.02	51.14	55.69
146S (V2525-75)	4757		146S	227.13	252.37	274.83
152G (8620)	4548	9225	152G	176.78	196.42	213.90
157C (4320)			157C	354.68	394.09	429.17
157F			157F	357.00	396.66	431.97
157Q			157Q	217.82	242.02	263.56
158Q			158Q	581.93	646.59	704.14
159B			159B	390.97	434.42	473.08
159X			159X	400.50	445.00	484.61
215B			215B	9.42	10.47	11.40
234K (16MnCr5)			234K	47.35	52.61	57.29
236F			236F	57.04	63.38	69.02
248D			248D	319.00	354.44	385.99
253A			253A	515.37	572.63	623.59
253F			253F	479.28	532.53	579.93
253L	4722		253L	519.05	576.73	628.05
253S			253S	515.90	573.22	624.24
255G			255G	570.32	633.69	690.09
256G			256G	645.64	717.38	781.23
258D			258D	759.92	844.35	919.50
275A			275A	464.47		562.01
277L			277L (X200)	402.05	446.73	486.48
TS280M-LX		9880		28.89	32.10	34.96
280M			280M	38.58		46.68
280T (19MnVS6)			280T	38.58		46.68
280X (19MnVS6)			280X	29.27		35.42
316A			316A	11.13		13.47
322D (25CrMo4)			322D	135.43		163.87
322Y			322Y	100.81	112.01	121.98
326C (4140)			326C	131.21		158.77
327A			327A	182.49		220.82
327A	1233		327A	176.51	196.12	213.58
327A	1291		327A	176.51	196.12	213.58
327B			327B	162.07		196.11
355B			355B	364.09		440.55
356D (34CrNiMo6)			356D	344.44		416.78
368.6		9620		132.03		159.76
398Q			398Q	601.71		728.07
420G			420G	357.15		432.15
495B	6521		495B	534.46		646.70
497Q			497Q (X300)	441.79		534.57
510N			510N	12.64		15.30
513Y			513Y	38.74	43.04	46.87
520M	2721			17.41	19.34	21.06
S355J2(M)		9864		18.76	20.84	22.70
MPS2B ISSUE 2 (S355J2C)		9820		20.23	22.47	24.47
520-S355J2	2723			16.68	18.54	20.19
528A/E (50CrMo4)			528A/E (X500)	132.42	147.13	160.23
593B			593B	132.71	147.46	160.58
593Q			593Q	132.71	147.46	160.58
594Y			594Y	82.69	91.88	100.06
596Y			596Y	168.54	187.27	203.94
667L			677L/Q/T (X600)	168.31		203.65
803J/N/P (100Cr6)	5621		803 J/N/P	63.54	70.60	76.88

803F/Q (100Cr6)			803F/Q (X800)	64.68		78.26
802F	5620		802F	63.48	70.53	76.81
100Cr6		4268		63.48		76.81
824B (100CrMo7)			824B	160.90		194.68
825B (100CrMo7 3)			825B	194.28		235.08
826B (100CrMo7 4)			826B	267.77		324.00
825T			825T	205.39		248.52
827B			827B	317.84		384.58
837N/R (100CrMn6)			837N/R	71.90		87.00
15MA27	7245			62.50	69.44	75.62
1130	5616			137.23	152.48	
2725	4734			474.35	527.06	
3350	8312			294.04	326.71	
L435-2				515.65	572.94	
1500	7302			328.56	365.07	397.56
Hybrid 55				1324.03	1471.15	1602.08
Hybrid 60				1324.03	1471.15	1602.08
Imanite	6130			417.95	464.39	505.72
IMACRO	8302			206.04	228.94	249.31
IMACRO EL 700	9259			169.21	188.01	204.74
S355	2714			22.42	24.92	27.13
368.6	5478			127.96	142.18	154.84